Appl. No. 09/981,900

Amdt. dated May 12, 2004

Reply to Office Action of February 18, 2004

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS

-1(Original)-

A transgenic plant which degrades lignocellulose when the transgenic plant is ground to produce a plant material comprising:

- (a) at least one DNA encoding a cellulase <u>selected</u> from the group consisting of an endoglucanase gene, an <u>exoglucanase gene</u>, a <u>dextranase gene</u>, and a <u>beta-glucosidase gene</u> which is operably linked to a nucleotide sequence encoding a signal peptide wherein the signal peptide directs the cellulase to <u>a plastid or apoplast</u> an <u>organelle</u> of the transgenic plant; and
- (b) at least one DNA encoding a ligninase comprising a lignin peroxidase gene which is operably linked to a nucleotide sequence encoding a signal peptide wherein the signal peptide directs the ligninase to the plastid or apoplast organelle of the transgenic plant,

wherein the transgenic plant degrades the lignocellulose when ground to produce the plant material.

Appl. No. 09/981,900

Amdt. dated May 12, 2004

Reply to Office Action of February 18, 2004

-2 (Original) -

The transgenic plant of Claim 1 wherein the DNA encoding the cellulase is from an organism selected from the group consisting of Trichoderma reesei, Acidothermus cellulyticus, Streptococcus salivarius, Actinomyces naeslundi, and Thermomonospora fusca.

-3(Original)-

The transgenic plant of Claim 1 wherein the DNA encoding the cellulase is selected from the group consisting of an el gene from Acidothermus cellulyticus, a cbh1 gene from Trichoderma reesei, a dextranase gene from Streptococcus salivarius, and a beta-glucosidase gene from Actinomyces naeslundi.

-4(Original)-

The transgenic plant of Claim 3 wherein the el gene comprises the nucleotide sequence set forth in SEQ ID NO:4, the cbhl gene comprises the nucleotide sequence set forth in SEQ ID NO:10, the dextranase gene comprises the nucleotide sequence set forth in SEQ ID NO:8, and the beta-glucosidase gene comprises the nucleotide sequence set forth in SEQ ID NO:6.

Appl. No. 09/981,900

Amdt. dated May 12, 2004

Reply to Office Action of February 18, 2004

-5(Original)-

The transgenic plant of Claim 1 wherein the DNA encoding the ligninase is from *Phanerochaete chrysosporium*.

-6(Original)-

The transgenic plant of Claim 5 wherein the ligninase is ckg4 comprising the nucleotide sequence set forth in SEQ ID NO:11 or ckg5 comprising the nucleotide sequence set forth in SEQ ID NO:13.

-7(Original)-

The transgenic plant of Claim 1 wherein the DNA encoding the cellulase and the DNA encoding the ligninase are each operably linked to a leaf-specific promoter.

-8(Original)-

The transgenic plant of Claim 7 wherein the leaf-specific promoter is a promoter for rbcS.

-9(Original)-

The transgenic plant of Claim 1 wherein the nucleotide sequence encoding the signal peptide encodes a

Appl. No. 09/981,900

Amdt. dated May 12, 2004

Reply to Office Action of February 18, 2004

signal peptide of rbcS.

-10(Original)-

The transgenic plant of Claim 8 or 9 wherein the $\it rbc$ S comprises the nucleotide sequence set forth in SEQ ID NO:1.

-11 (Currently amended) -

The transgenic plant of Claim 1 selected from the group consisting of maize, wheat, barley, rye, hops, hemp, rice, potato, soybean, sorghum, sugarcane, clover, tobacco, alfalfa, and arabidopsis, coniferous tree, and deciduous tree.

-12(Original)-

The transgenic plant of Claim 1 wherein the DNA encoding the cellulase and the DNA encoding the ligninase are stably integrated into nuclear or plastid DNA of the transgenic plant.

-13(Original)-

The transgenic plant of Claim 1 wherein transgenic plant further includes a DNA encoding a selectable marker operably linked to a constitutive promoter.

MSU 4.1-539
Appl. No. 09/981,900
Amdt. dated May 12, 2004
Reply to Office Action of February 18, 2004

-14(Original)-

The transgenic plant of Claim 13 wherein the DNA encoding the selectable marker provides the transgenic plant with resistance to an antibiotic, an herbicide, or to environmental stress.

-15(Original)-

The transgenic plant of Claim 14 wherein the DNA encoding resistance to the herbicide is a DNA encoding phosphinothricin acetyl transferase which confers resistance to the herbicide phosphinothricin.

-16 (Cancelled) -

-17 (Currently amended) -

The transgenic plant of $\underline{\text{Claim 1}}$ Claim 16 wherein the $\underline{\text{plastid}}$ organelle of the transgenic plant is $\underline{\text{a}}$ the chloroplast.

Appl. No. 09/981,900

Amdt. dated May 12, 2004

Reply to Office Action of February 18, 2004

-18 (Withdrawn) -

A transgenic plant which degrades lignins when the transgenic plant is ground to produce a plant material comprising:

at least one DNA encoding a ligninase which is operably linked to a nucleotide sequence encoding a signal peptide wherein the signal peptide directs the ligninase to an organelle of the transgenic plant wherein the transgenic plant degrades the lignins when ground to produce the plant material.

-19 (Withdrawn) -

The transgenic plant of Claim 18 wherein the DNA encoding the ligninase is from *Phanerochaete chrysosporium*.

-20 (Withdrawn) -

The transgenic plant of Claim 19 wherein the ligninase is ckg4 comprising the nucleotide sequence set forth in SEQ ID NO:11 or ckg5 comprising the nucleotide sequence set forth in SEQ ID NO:13.

-21 (Withdrawn) -

The transgenic plant of Claim 18 wherein the DNA encoding the ligninase is operably linked to a leaf-

Appl. No. 09/981,900

Amdt. dated May 12, 2004

Reply to Office Action of February 18, 2004

specific promoter.

-22 (Withdrawn) -

The transgenic plant of Claim 21 wherein the leaf-specific promoter is a promoter for $\it rbc$ S.

-23 (Withdrawn) -

The transgenic plant of Claim 18 wherein the nucleotide sequence encoding the signal peptide encodes a signal peptide of rbcS.

-24 (Withdrawn) -

The transgenic plant of Claim 22 or 23 wherein the $\it rbc$ S comprises the nucleotide sequence set forth in SEQ ID NO:1.

-25 (Withdrawn) -

The transgenic plant of Claim 18 selected from the group consisting of maize, wheat, barley, rye, hops, hemp, rice, potato, soybean, sorghum, sugarcane, clover, tobacco, alfalfa, arabidopsis, coniferous tree, and deciduous tree.

Appl. No. 09/981,900

Amdt. dated May 12, 2004

Reply to Office Action of February 18, 2004

-26 (Withdrawn) -

The transgenic plant of Claim 18 wherein the DNA is stably integrated into nuclear or plastid DNA of the transgenic plant.

-27 (Withdrawn) -

The transgenic plant of Claim 18 wherein the transgenic plant further includes a DNA encoding a selectable marker operably linked to a constitutive promoter.

-28 (Withdrawn) -

The transgenic plant of Claim 27 wherein the DNA encoding the selectable marker provides the transgenic plant with resistance to an antibiotic, an herbicide, or to environmental stress.

-29 (Withdrawn) -

The transgenic plant of Claim 28 wherein the DNA encoding resistance to the herbicide is a DNA encoding phosphinothricin acetyl transferase which confers resistance to the herbicide phosphinothricin.

Appl. No. 09/981,900

Amdt. dated May 12, 2004

Reply to Office Action of February 18, 2004

-30 (Withdrawn) -

The transgenic plant of Claim 18 wherein the organelle of the plant is selected from the group consisting of nucleus, microbody, endoplasmic reticulum, endosome, vacuole, mitochondria, chloroplast, or plastid.

-31 (Withdrawn) -

The transgenic plant of Claim 18 wherein the organelle of the plant is the chloroplast.

-32 (Withdrawn) -

A transgenic plant which degrades cellulose when the transgenic plant is ground to produce a plant material comprising:

at least one DNA encoding a cellulase which is operably linked to a nucleotide sequence encoding a signal peptide wherein the signal peptide directs the cellulase to an organelle of the transgenic plant wherein the transgenic plant degrades the cellulose when ground to produce the plant material.

Appl. No. 09/981,900

Amdt. dated May 12, 2004

Reply to Office Action of February 18, 2004

-33 (Withdrawn) -

The transgenic plant of Claim 32 wherein the DNA encoding the cellulase is from an organism selected from the group consisting of Trichoderma reesei, Acidothermus cellulyticus, Streptococcus salivarius, Actinomyces naeslundi, and Thermomonospora fusca.

-34 (Withdrawn) -

The transgenic plant of Claim 32 wherein the DNA encoding the cellulase is selected from the group consisting of an el gene from Acidothermus cellulyticus, a cbhl gene from Trichoderma reesei, a dextranase gene from Streptococcus salivarius, and a beta-glucosidase gene from Actinomyces naeslundi.

-35 (Withdrawn) -

The transgenic plant of Claim 34 wherein the el gene comprises the nucleotide sequence set forth in SEQ ID NO:4, the *cbh*1 gene comprises the nucleotide sequence set forth in SEQ ID NO:10, the dextranase gene comprises the nucleotide sequence set forth in SEQ ID NO:8, and the beta-glucosidase gene comprises the nucleotide sequence set forth in SEQ ID NO:6.

Appl. No. 09/981,900

Amdt. dated May 12, 2004

Reply to Office Action of February 18, 2004

-36 (Withdrawn) -

The transgenic plant of Claim 32 wherein DNA encoding the cellulase is operably linked to a leaf-specific promoter.

-37 (Withdrawn) -

The transgenic plant of Claim 36 wherein the leaf-specific promoter is a promoter for rbcS.

-38 (Withdrawn) -

The transgenic plant of Claim 32 wherein the nucleotide sequence encoding the signal peptide encodes a signal peptide of rbcS.

-39 (Withdrawn) -

The transgenic plant of Claim 37 or 38 wherein the rbcS comprises the nucleotide sequence set forth in SEQ ID NO:1.

-40 (Withdrawn) -

The transgenic plant of Claim 32 selected from the group consisting of maize, wheat, barley, rye, hops, hemp, rice, potato, soybean, sorghum, sugarcane, clover, tobacco, alfalfa, arabidopsis, coniferous tree, and

Appl. No. 09/981,900

Amdt. dated May 12, 2004

Reply to Office Action of February 18, 2004

deciduous tree.

-41 (Withdrawn) -

The transgenic plant of Claim 32 wherein the DNA is stably integrated into nuclear or plastid DNA of the transgenic plant.

-42 (Withdrawn) -

The transgenic plant of Claim 32 wherein the transgenic plant further includes a DNA encoding a selectable marker operably linked to a constitutive promoter.

-43 (Withdrawn) -

The transgenic plant of Claim 42 wherein the DNA encoding the selectable marker provides the transgenic plant with resistance to an antibiotic, an herbicide, or to environmental stress.

-44 (Withdrawn) -

The transgenic plant of Claim 43 wherein the DNA encoding resistance to the herbicide is a DNA encoding phosphinothricin acetyl transferase which confers resistance to the herbicide phosphinothricin.

Appl. No. 09/981,900

Amdt. dated May 12, 2004

Reply to Office Action of February 18, 2004

-45 (Withdrawn) -

The transgenic plant of Claim 32 wherein the organelle of the transgenic plant is selected from the group consisting of nucleus, microbody, endoplasmic reticulum, endosome, vacuole, mitochondria, chloroplast, or plastid.

-46 (Withdrawn) -

The transgenic plant of Claim 45 wherein the organelle of the transgenic plant is the chloroplast.

Appl. No. 09/981,900

Amdt. dated May 12, 2004

Reply to Office Action of February 18, 2004

-47 (Currently amended) -

A method for producing a transgenic plant which degrades lignocellulose when the transgenic plant is ground

to produce a plant material comprising:

(a) providing a first transgenic plant which

includes a DNA encoding a cellulase wherein the DNA encoding

the cellulase is selected from the group consisting of an

endoglucanase gene, an exoglucanase gene, a dextranase gene,

and a beta-glucosidase gene which is operably linked to a

nucleotide sequence encoding a signal peptide wherein the

signal peptide directs the cellulase to a plastid or apoplast

an organelle of the transgenic plant and a second transgenic

plant which includes a DNA encoding a ligninase comprising a

lignin peroxidase gene which is operably linked to a

nucleotide sequence encoding a signal peptide wherein the

signal peptide directs the ligninase to the plastid or

apoplast organelle of the transgenic plant; and

(b) mating by sexual fertilization the first and

the second transgenic plants to produce a third transgenic

plant which includes the first DNA encoding the cellulase and

the second DNA encoding the ligninase,

wherein the transgenic plant degrades the

lignocellulose when ground to produce the plant material.

-15-

Appl. No. 09/981,900

Amdt. dated May 12, 2004

Reply to Office Action of February 18, 2004

-48 (Original) -

The method of Claim 47 wherein the DNA encoding the cellulase is from an organism selected from the group consisting of Trichoderma reesei, Acidothermus cellulyticus, Streptococcus salivarius, Actinomyces naeslundi, and Thermomonospora fusca.

-49(Original)-

The method of Claim 47 wherein the DNA encoding the cellulase is selected from the group consisting of an el gene from Acidothermus cellulyticus, a cbh1 gene from Trichoderma reesei, a dextranase gene from Streptococcus salivarius, and a beta-glucosidase gene from Actinomyces naeslundi.

-50 (Original) -

The method of Claim 49 wherein the el gene comprises the nucleotide sequence set forth in SEQ ID NO:4, the cbh1 gene comprises the nucleotide sequence set forth in SEQ ID NO:10, the dextranase gene comprises the nucleotide sequence set forth in SEQ ID NO:8, and the beta-glucosidase gene comprises the nucleotide sequence set forth in SEQ ID NO:6.

Appl. No. 09/981,900

Amdt. dated May 12, 2004

Reply to Office Action of February 18, 2004

-51 (Original) -

The method of Claim 47 wherein the DNA encoding the ligninase is from *Phanerochaete chrysosporium*.

-52 (Original) -

The method of Claim 51 wherein the ligninase is ckg4 comprising the nucleotide sequence set forth in SEQ ID NO:11 or ckg5 comprising the nucleotide sequence set forth in SEQ ID NO:13.

-53(Original)-

The method of Claim 47 wherein the DNA encoding the cellulase and the DNA encoding the ligninase are each operably linked to a leaf-specific promoter such as a promoter for rbcS.

-54 (Original) -

The method of Claim 53 wherein the leaf-specific promoter is a promoter for rbcS.

Appl. No. 09/981,900

Amdt. dated May 12, 2004

Reply to Office Action of February 18, 2004

-55(Original)-

The method of Claim 47 wherein the nucleotide sequence encoding the signal peptide encodes a signal peptide of $\mathit{rbc}S$.

-56(Original)-

The method of Claim 54 or 55 wherein the rbcS comprises the nucleotide sequence set forth in SEQ ID NO:1.

-57 (Currently amended) -

The method of Claim 47 selected from the group consisting of maize, wheat, barley, rye, hops, hemp, rice, potato, soybean, sorghum, sugarcane, clover, tobacco, alfalfa, and arabidopsis, coniferous tree, and deciduous tree.

-58(Original)-

The method of Claim 47 wherein the DNA encoding the cellulase and the DNA encoding the ligninase are stably integrated into nuclear or plastid DNA of the transgenic plant.

MSU 4.1-539 Appl. No. 09/981,900 Amdt. dated May 12, 2004 Reply to Office Action of February 18, 2004

-59(Original)-

The method of Claim 47 wherein the first, second, or both transgenic plants further includes a DNA encoding a selectable marker operably linked to a constitutive promoter.

-60(Original)-

The method of Claim 59 wherein the DNA encoding the selectable marker provides the transgenic plant with resistance to an antibiotic, an herbicide, or to environmental stress.

-61(Original)-

The method of Claim 60 wherein the DNA encoding resistance to the herbicide is a DNA encoding phosphinothricin acetyl transferase which confers resistance to the herbicide phosphinothricin.

-62 (Cancelled) -

-63(Currently amended)-

The method of Claim 47 Claim 62 wherein the plastid $\frac{1}{2}$ organelle of the transgenic plant is $\frac{1}{2}$ the chloroplast.

Appl. No. 09/981,900

Amdt. dated May 12, 2004

Reply to Office Action of February 18, 2004

-64(Original)-

The method of Claim 47 wherein progeny of the third transgenic plant are mated by sexual fertilization to a transgenic plant selected from the group consisting of the first, second, and third transgenic plants to produce a transgenic plant comprising multiples of genes encoding cellulases and ligninases.

Appl. No. 09/981,900

Amdt. dated May 12, 2004

Reply to Office Action of February 18, 2004

-65(Currently amended) -

A method for converting lignocellulose in a plant material to fermentable sugars comprising:

- (a) providing a transgenic plant which includes at least one DNA encoding a cellulase selected from the group consisting of an endoglucanase gene, an exoglucanase gene, a dextranase gene, and a beta-glucosidase gene which is operably linked to a nucleotide sequence encoding a signal peptide wherein the signal peptide directs the cellulase to a plastid or apoplastid an organelle of the transgenic plant and a at least one DNA encoding a ligninase comprising a lignin peroxidase gene which is operably linked to a nucleotide sequence encoding a signal peptide wherein the signal peptide directs the ligninase to the plastid or apoplastid organelle of the transgenic plant;
- (b) growing the transgenic plant for a time sufficient for the transgenic plant to accumulate a sufficient amount of the cellulase and the ligninase in the plastid or apoplastid organelle of the transgenic plant;
- (c) harvesting the transgenic plant which has accumulated the cellulase and ligninase in the <u>plastid or apoplastid organelle</u> of the transgenic plant;
- (d) grinding the transgenic plant for a time sufficient to produce the plant material wherein the

Appl. No. 09/981,900

Amdt. dated May 12, 2004

Reply to Office Action of February 18, 2004

cellulase and ligninase produced by the transgenic plant are released from the <u>plastid or apoplastid</u> or the transgenic plant;

- (e) incubating the plant material for a time sufficient for the cellulase and ligninase in the plant material to produce the fermentable sugars from the lignocellulose in the plant material; and
- (f) extracting the fermentable sugars produced from the lignocellulose by the cellulase and the ligninase from the plant material.

-66(Original)-

The method of Claim 65 wherein the DNA encoding the cellulase is from an organism selected from the group consisting of Trichoderma reesei, Acidothermus cellulyticus, Streptococcus salivarius, Actinomyces naeslundi, and Thermomonospora fusca.

Appl. No. 09/981,900

Amdt. dated May 12, 2004

Reply to Office Action of February 18, 2004

-67(Original)-

The method of Claim 65 wherein the DNA encoding the cellulase is selected from the group consisting of an el gene from Acidothermus cellulyticus, a cbhl gene from Trichoderma reesei, a dextranase gene from Streptococcus salivarius, and a beta-glucosidase gene from Actinomyces naeslundi.

-68(Original)-

The method of Claim 67 wherein the el gene comprises the nucleotide sequence set forth in SEQ ID NO:4, the cbhl gene comprises the nucleotide sequence set forth in SEQ ID NO:10, the dextranase gene comprises the nucleotide sequence set forth in SEQ ID NO:8, and the beta-glucosidase gene comprises the nucleotide sequence set forth in SEQ ID NO:6.

-69(Original)-

The method of Claim 65 wherein the DNA encoding the ligninase is from *Phanerochaete chrysosporium*.

Appl. No. 09/981,900

Amdt. dated May 12, 2004

Reply to Office Action of February 18, 2004

-70 (Original) -

The method of Claim 69 wherein the ligninase is ckg4 comprising the nucleotide sequence set forth in SEQ ID NO:11 or ckg5 comprising the nucleotide sequence set forth in SEQ ID NO:13.

-71(Original)-

The method of Claim 65 wherein DNA encoding the cellulase and the DNA encoding the ligninase are each operably linked to a leaf-specific promoter.

-72 (Original) -

The transgenic plant of Claim 71 wherein the leaf-specific promoter is a promoter for rbcS.

-73(Original)-

The method of Claim 65 wherein the nucleotide sequence encoding the signal peptide encodes a signal peptide of rbcS.

-74 (Original) -

The method of Claim 72 or 73 wherein the rbcS comprises the nucleotide sequence set forth in SEQ ID NO:1.

Appl. No. 09/981,900

Amdt. dated May 12, 2004

Reply to Office Action of February 18, 2004

-75 (Currently amended) -

The method of Claim 65 selected from the group consisting of maize, wheat, barley, rye, hops, hemp, rice, potato, soybean, sorghum, sugarcane, clover, tobacco, alfalfa, and arabidopsis, coniferous tree, and deciduous tree.

-76(Original)-

The method of Claim 65 wherein the first and second DNAs are stably integrated into nuclear or plastid DNA of the transgenic plant.

-77 (Original) -

The method of Claim 65 wherein transgenic plant further includes a DNA encoding a selectable marker operably linked to a constitutive promoter.

-78 (Original) -

The method of Claim 77 wherein the DNA encoding the selectable marker provides the transgenic plant with resistance to an antibiotic, an herbicide, or to environmental stress.

Appl. No. 09/981,900

Amdt. dated May 12, 2004

Reply to Office Action of February 18, 2004

-79(Original)-

The method of Claim 78 wherein the DNA encoding resistance to the herbicide is a DNA encoding phosphinothricin acetyl transferase which confers resistance to the herbicide phosphinothricin.

-80 (Cancelled) -

-81 (Currently amended) -

The method of <u>Claim 65</u> Claim 80 wherein the <u>plastid</u> organelle of the transgenic plant is <u>a</u> the chloroplast.

-82(Original)-

The method of Claim 65 wherein the plant material further includes a plant material made from a non-transgenic plant.

-83 (Withdrawn) -

A method for converting lignocellulose in a plant material to fermentable sugars comprising:

(a) providing a transgenic plant which includes at least one DNA encoding a cellulase which is operably linked to a nucleotide sequence encoding a signal peptide

MSU 4.1-539 Appl. No. 09/981,900 Amdt. dated May 12, 2004 Reply to Office Action of February 18, 2004 wherein the signal peptide directs the cellulase to an organelle of the transgenic plant; (b) growing the transgenic plant for a time sufficient for the transgenic plant to accumulate a sufficient amount of the cellulase in the organelle of the transgenic plant; (c) harvesting the transgenic plant which has accumulated the cellulase in the organelle of the transgenic plant; (d) grinding the transgenic plant for a time sufficient to produce a plant material wherein the cellulase is released from the organelle in the transgenic plant; (e) mixing the plant material with a fungus that produces a ligninase; (f) incubating the transgenic plant material with the fungus for a time sufficient for the cellulase released from the transgenic plant and the ligninase provided by the fungus to degrade the lignocellulose in the plant material to produce the fermentable sugars; and (g) extracting the fermentable sugars produced from the lignocellulose in the plant material. -27-

Appl. No. 09/981,900

Amdt. dated May 12, 2004

Reply to Office Action of February 18, 2004

-84 (Withdrawn) -

The method of Claim 83 wherein the DNA encoding the cellulase is from an organism selected from the group consisting of Trichoderma reesei, Acidothermus cellulyticus, Streptococcus salivarius, Actinomyces naeslundi, and Thermomonospora fusca.

-85 (Withdrawn) -

The method of Claim 83 wherein the DNA encoding the cellulase is selected from the group consisting of an el gene from Acidothermus cellulyticus, a cbh1 gene from Trichoderma reesei, a dextranase gene from Streptococcus salivarius, and a beta-glucosidase gene from Actinomyces naeslundi.

-86 (Withdrawn) -

The method of Claim 85 wherein the el gene comprises the nucleotide sequence set forth in SEQ ID NO:4, the cbhl gene comprises the nucleotide sequence set forth in SEQ ID NO:10, the dextranase gene comprises the nucleotide sequence set forth in SEQ ID NO:8, and the beta-glucosidase gene comprises the nucleotide sequence set forth in SEQ ID NO:6.

Appl. No. 09/981,900

Amdt. dated May 12, 2004

Reply to Office Action of February 18, 2004

-87 (Withdrawn) -

The method of Claim 83 wherein the DNA encoding the cellulase is operably linked to a leaf-specific promoter.

-88 (Withdrawn) -

The method of Claim 87 wherein the leaf-specific promoter is a promoter for rbcS.

-89 (Withdrawn) -

The method of Claim 83 wherein the nucleotide sequence encoding the signal peptide encodes a signal peptide of rbcS.

-90 (Withdrawn) -

The method of Claim 88 or 89 wherein the rbcS comprises the nucleotide sequence set forth in SEQ ID NO:1.

-91 (Withdrawn) -

The method of Claim 83 selected from the group consisting of maize, wheat, barley, rye, hops, hemp, rice, potato, soybean, sorghum, sugarcane, clover, tobacco, alfalfa, arabidopsis, coniferous tree, and deciduous tree.

Appl. No. 09/981,900

Amdt. dated May 12, 2004

Reply to Office Action of February 18, 2004

-92 (Withdrawn) -

The method of Claim 83 wherein the DNA is stably integrated into nuclear or plastid DNA of the transgenic plant.

-93 (Withdrawn) -

The method of Claim 83 wherein the transgenic plant further includes a DNA encoding a selectable marker operably linked to a constitutive promoter.

-94 (Withdrawn) -

The method of Claim 93 wherein the DNA encoding the selectable marker provides the transgenic plant with resistance to an antibiotic, an herbicide, or to environmental stress.

-95 (Withdrawn) -

The method of Claim 94 wherein the DNA encoding resistance to the herbicide is a DNA encoding phosphinothricin acetyl transferase which confers resistance to the herbicide phosphinothricin.

Appl. No. 09/981,900

Amdt. dated May 12, 2004

Reply to Office Action of February 18, 2004

-96 (Withdrawn) -

The method of Claim 83 wherein the organelle of the transgenic plant is selected from the group consisting of nucleus, microbody, endoplasmic reticulum, endosome, vacuole, mitochondria, chloroplast, or plastid.

-97 (Withdrawn) -

The method of Claim 96 wherein the organelle of the transgenic plant is the chloroplast.

-98 (Withdrawn) -

The method of Claim 83 wherein the fungus is Phanerochaete chrysosporium.

-99 (Withdrawn) -

The method of Claim 83 wherein the plant material further includes a plant material made from a non-transgenic plant.

-100(Original)-

The transgenic plant of Claim 1 wherein the lignocellulose is degrade to fermentable sugars.

Appl. No. 09/981,900

Amdt. dated May 12, 2004 Reply to Office Action of February 18, 2004

-101(Withdrawn)-

The transgenic plant of Claim 32 wherein the cellulose is degraded to fermentable sugars.

-102(Original)-

The method of Claim 47 wherein the lignocellulose is degraded to fermentable sugars.

-103(Original)-

The method of Claim 65 wherein the fermentable sugars are fermented to ethanol.

-104 (Withdrawn) -

The method of Claim 83 wherein the fermentable sugars are fermented to ethanol.

Appl. No. 09/981,900

Amdt. dated May 12, 2004

Reply to Office Action of February 18, 2004

Amendments to the Drawings:

The attached sheets of drawings includes changes to

Figures 1 - 15, to improve clarity. These sheets replace the

original sheets including Figures 1-15.

Attachment: Replacement Sheets

-33-